



TYPE OVERVIEW KITCHEN

2015

TEAM 7

TEAM 7



k7

linee



l1



loft



rondo




system explanation

k7 | linee | l1 | loft | rondo


k7 | linee | l1 | loft | rondo

front partition / body height: H 67 cm and H 80,4 cm





example of front partition

U_8LZ
grid height: 13,4 cm
front spacing: 0,4 cm




Our symbol drawings are always dimensioned with front spacing.



k7 | line | l1 | loft | rondo

base units: H 67,0 cm | D 56,0 cm

TEAM7

 20	 20	 30	 15/20/30/40/45/50/60/80/90/100/120	 15/20/30/40/45/50/60/80/90/100/120
 15/20/30/40/45/50/60/80/90/100/120	 30/40/45/50/60/80/90/100/	 30/40/45	 30/40/45/50/60/80/90/100/120	 30/40/45/50/60/80/90/100/120
 30/40/45/50/60/80/90/100/120	 30/40/45/50/60/80/90	 30/45/60	 15/20/30/40/45	 160/180/200/220/260
 15/30	 15/30	 30	 30	 90/105
 90	 90	 90/100	 90	 60
 60/80/90/100/120	 60/80/90/100/120	 60/80/90/100/120	 60/80/90/100/120	 90/100/120
 45/50/60/80/90/100	 45/50/60/80/90/100	 80/90/100	 80/90/100	 45/50/60/80/90/100
 45/50/60/80/90/100	 45/60	 45/60	 90/105	 90/105
 90	 60	 45/60	 45/60	 90/105
 EREG_	 UGB_L(C) UGB_E L(C)	 U_OR(S) U_ORL(S)		

description / legend

element width in cm


























































power-assisted

k7 | line | l1 | loft | rondo

base units: H 80,4 cm | D 56,0 cm

TEAM7

	U208HA		U208THA		U308FL		U_8		U_8T
20		20		30		15/20/30/40/45/50/60/80/90/100/120		15/20/30/40/45/50/60/80/90/100/120	
	U_8TD		U_8LT		U_8LFZ		U_8LGH		U_8LZG
13,4 67,0		13,4 67,0		13,4 13,4 53,6		13,4 26,8 40,2		13,4 26,8 40,2	
15/20/30/40/45/50/60/80/90/100/120		15/20/30/40/45/50/60/80/90/100		30/40/45		30/40/45/50/60/80/90/100		30/40/45/50/60/80/90/100/120	
	U_8LZ		U_8LZR		U_8Z		U_8ZR		U_8FZR
13,4 13,4 26,8 26,8		13,4 13,4 26,8 26,8		26,8 26,8 26,8		26,8 26,8 26,8		40,2 40,2	
30/40/45/50/60/80/90/100/120		30/40/45/50/60/80/90/100/120		30/40/45/50/60/80/90/100/120		30/40/45/50/60/80/90/100/120		30/40/45/50/60/80/90/100/120	
	U_8LM		U_8LMR		U_8LAZ		U_8TIZ		U_8A (R)
13,4 33,5 33,5		13,4 33,1 33,1		13,4 13,4 13,4 26,8					
30/40/45/50/60/80/90/100/120		30/40/45/50/60/80/90/100/120		30/40/45/50/60/80/90		30/45/60		15/20/30/40/45	
	U_8FST		U_8RET		U_8REZ (R)		UAE8		UAR8
160/180/200/220/260		15/30		15/30		30		30	
	U_8T		UD908DKTMR		U_8F		U_8LM		U_8LLM
90/105		90		90		90/100		90/100	
	U_8MC		U608H		U_8HLZ		U_8HLZR		U_8HLZS
		20,1		13,4 13,4 26,8 26,8		13,4 13,4 26,8 26,8		13,4 13,4 26,8 26,8	
90		60		60/80/90/100/120		60/80/90/100/120		60/80/90/100/120	
	U_8HLZSR		U_8HLM		U_8HLMR		U_8SLM		U_8S
13,4 13,4 26,8 26,8		13,4 33,5 33,5		13,4 33,5 33,5		13,4 33,5 33,5		13,4 67,0	
60/80/90/100/120		60/80/90/100/120		60/80/90/100/120		90/100/120		45/50/60/80/90/100	
	U_8SD		U_8SNI		U_8SNID		U_8SM		U_8SMD
45/50/60/80/90/100		13,4 67,0		45/50/60/80/90/100		13,4 67,0		45/60	
	U_8SD		UD_8S		U_8SD		U60MSN		U_MSB
90		13,4 67,0		90/100/120		45/60		45/60	
	NIK		UDMSO		EREGB_		UGB8_L(C) UGB8_E L(C)		U_OR (S) U_ORL (S)
45/60		90/105		90/105		60		45/60	

description / legend

element width in cm






















power-assisted

k7 | linee | l1 | loft | rondo

mid high units: H 134,0 cm | D 56,0 cm

TEAM7

	M_		M_T		M_TIZ		M60TDA (R)
30/40/45/50/60/80/90/100/120		30/40/45/50/60/80/90/100/120		30/45/60		60	
	M_A (R)		M30RET		M30REZ (R)		MAE
30/45		30		30		30	
	MAR		ME_LM		MG60KLZ		MG60K
30		90/100		60 93,8 13,4 26,8		60	
	MG60K1LZ		MG60KM		MG60BK		MG60BLZ
60 106,8 26,8		60 105,9		60 13,4 26,8		60 13,4 26,8	
	MG60BMT		MG60BMBZ		M_G_Z		
60 66,6		60 33,1		48,8/63,8			























description / legend

 element width in cm  power-assisted

k7 | linee | l1 | loft | rondo

mid high units: H 147,4 cm | D 56,0 cm

TEAM7

	M_8		M_8T		M_8TIZ		M608TDA (R)
30/40/45/50/60/80/90/100/120		30/40/45/50/60/80/90/100/120		30/45/60		60	
	M_8A (R)		M308RET		M308REZ (R)		MAE8
30/45		30		30		30	
	MAR8		ME_8LM		MG608KLZ		MG608K
30		90/100		60		60	
	MG608KD		MG608KT		MG608K1LZ		MG608KM
60		60		60		60	
	MG608BK		MG608BLZ		MG608BMT		MG608BMBL
60		60		60		60	
	MG608MBZ		M_G_Z				
60		48,8/63,8					

description / legend

 element width in cm  power-assisted

k7 | linee | l1 | loft | rondo

tall units: H 187,6 cm | D 56,0 cm

	H_		H_T		H_TIZ		H_TDP		H60TDA (R)
30/40/45/50/60/80/90/100/120		30/40/45/50/60/80/90/100/120		30/45/60		60		60	
	H_A (R)		H30RET		H30REZ (R)		HE_LM_		HG60VZ
30/45		30		30		90/100		60	
	HG60B		HG60BMT		HG60KLZ		HG60KT		HG60KZ
60		60		60		60		60	
	HG60KZT		HG60KG		HG60KMT		HG60BMF		
60		60		60		60			

k7 | linee | l1 | loft | rondo

tall units: H 201,0 cm | D 56,0 cm

	H_8		H_8T		H_8TIZ		H_8TDP		H608TDA (R)
30/40/45/50/60/80/90/100/120		30/40/45/50/60/80/90/100/120		30/45/60		60		60	
	H_8A (R)		H_308RET		H_308REZ (R)		HE_8LM_		HG608VZ
30/45		30		30		90/100		60	
	HG608VZD		HG608B		HG608BMT		HG608KLZ		HG608KT
60		60		60		60		60	
	HG608KZ		HG608KZT		HG608KG		HG608KMT		HG608BMF
60		60		60		60		60	
	HG608BMB								
60									

description / legend

element width in cm



power-assisted

k7 | linee | l1 | loft | rondo

tall units: H 214,4 cm | D 56,0 cm



	HH_		HH_T		HH_TIZ		HH60TDP		HH60TDA (R)
30/40/45/50/60/80/90/100/120		30/40/45/50/60/80/90/100/120		30/45/60		60		60	
	HH_A (R)		HH30RET		HH30REZ (R)		HHE_LM_		HHG60VZ
30/45		30		30		90/100		60	
	HHG60B		HHG60BMT		HHG60KLZ		HHG60KT		HHG60KZ
60		60		60		60		60	
	HHG60KZT		HHG60KG		HHG60KMT		HHG60BMF		
60		60		60		60			

k7 | linee | l1 | loft | rondo

tall units: H 227,8 cm | D 56,0 cm





	HH_8		HH_8T		HH_8TIZ		HH_8TDP		HH608TDA (R)
30/40/45/50/60/80/90/100/120		30/40/45/50/60/80/90/100/120		30/45/60		60		60	
	HH_8A (R)		HH308RET		HH308REZ (R)		HHE_8LM_		HHG608VZ
30/45		30		30		90/100		60	
	HHG608VZD		HHG608B		HHG608BMT		HHG608KLZ		HHG608KT
60		60		60		60		60	
	HHG608KZ		HHG608KZT		HHG608KG		HHG608KMT		HHG608BMF
60		60		60		60		60	
	HHG608BMB								
60									

description / legend

element width in cm power-assisted


































k7 | line | l1 | loft | rondo

wall units: H 33,5 cm | D 35,0 cm

 O_3K	 O_3K L	 O_3K LP	 O_3
30/40/45/50/60/80/90/100/120	30/40/45/50/60/80/90/100/120	50/60/80/90/100	30/40/45/50/60/80/90/100/120

k7 | line | l1 | loft | rondo

wall units: H 67,0 cm | D 35,0 cm

 O_6F	 O_6F S	 O_6F L	 O_6F S L	
60/80/90/100/120	60/80/90/100/120	60/80/90/100/120	60/80/90/100/120	60/80/90/100/120
 O_6F S LP	 O_6F GA	 O_6F S GA	 O_6T	
60/80/90/100/120	60/80/90	60/80/90	30/40/45/50/60/80/90/100	30/40/45/50/60/80/90/100
 O_6T LP	 O_6ROL	 O_6 DAT	 O_6 FLF P	
50/60/80/90/100	45/60/80/90	60	90/120	50/60
 O_6K M LP	 O_6K M	 O_6K M L	 O_6	
50/60	50/60	50/60	20/30/40/45/50/60/80/90/100	30
 OAR6	 OEG_6 T	 OEG_6 T L	 OEG_6 T LP	
30	80/90	80/90	80/90	110/115/125
 OEG_6 TP L	 OEG_6 TP LP	 OE_6T P	 OE_6T P L	
110/115/125	110/115/125	60/65/90	60/65/90	60/65/90
 OE_6 L	 OD_6	 OD_6 L		
60/65/90	60/65	60/65		


































description / legend

 element width in cm	 power-assisted
---	--

k7 | linee | l1 | loft | rondo

wall units: H 80,4 cm | D 35,0 cm

TEAM7

 O_8F 60/80/90/100/120	 O_8F S 60/80/90/100/120	 O_8F L 60/80/90/100/120	 O_8F S L 60/80/90/100/120	 O_8F LP 60/80/90/100/120
 O_8F S LP 60/80/90/100/120	 O_8F GA 50/60/80/90	 O_8F S GA 50/60/80/90	 O_8T 30/40/45/50/60/80/90/100/120	 O_8T L 30/40/45/50/60/80/90/100/120
 O_8T LP 30/40/45/50/60/80/90/100/120	 O_8ROL 45/60/80/90	 O_8M 50/60	 O_8MT 50/60	 O_8MT L 50/60
 O_8MT LP 50/60	 O_8 DAT 60	 O_8 FLF P 90/120	 O_8 20/30/40/45/50/60/80/90/100	 OAE8 30
 OAR8 30	 OEG_8 T 80/90	 OEG_8 T L 80/90	 OEG_8 T LP 80/90	 OEG_8 TP 110/115/125
 OEG_8 TP L 110/115/125	 OEG_8 TP LP 110/115/125	 OE_8T P 60/65/90	 OE_8T P L 60/65/90	 OE_8 60/65/90
 OE_8 L 60/65/90	 OD_8 60/65	 OD_8 L 60/65		

description / legend

element width in cm


























power-assisted

k7 | linee | l1 | loft | rondo

wall units: H 93,8 cm | D 35,0 cm

TEAM7

	O_9T		O_9T L		O_9T LP		O_9M		O_9MT
30/40/45/50/60/80/90/100/120		30/40/45/50/60/80/90/100/120		30/40/45/50/60/80/90/100/120		50/60		50/60	
	O_9MT L		O_9MT LP		O_9 DAT		O_9		OAE9
50/60		50/60		60		20/30/40/45/50/60/80/90/100		30	
	OAR9		OEG_9 T		OEG_9 T L		OEG_9 T LP		OEG_9 TP
30		80/90		80/90		80/90		110/115/125	
	OEG_9 TP L		OEG_9 TP LP		OE_9T P		OE_9T P L		OE_9
110/115/125		110/115/125		60/65/90		60/65/90		60/65/90	
	OE_9 L		OD_9		OD_9 L				
60/65/90		60/65		60/65					



description / legend

 element width in cm  power-assisted



SYSTEM EXPLANATION VAO ISLAND

TEAM 7






































vao

base units: H 80,4 cm | D 56,0 cm

	VA U_		VA U_T		VA U_TG		VA U30A (R)		VA U30A (R) G
30/45/50/60/90/100/120		30/45/50/60/90/100/120		30/45/50/60/90/100/120		30		30	
	VA U_LZ		VA U_LZ G		VA U_LZS		VA U_LZS G		VA U_LLZ
45/50/60/90/100/120		45/50/60/90/100/120		45/50/60/90/100/120/180		45/50/60/90/100/120/180		45/50/60/90/100/120	
	VA U_LLZ G		VA U_LLZS		VA U_LLZS G		VA U_ZIZ		VA U_ZIZ G
45/50/60/90/100/120		45/50/60/90/100/120/180		45/50/60/90/100/120/180		45/50/60/90/100/120		45/50/60/90/100/120	
	VA U_ZIZS		VA U_ZIZS G		VA UE_LM		VA UE_LM G		VA UH_GT
45/50/60/90/100/120/180		45/50/60/90/100/120/180		90/100		90/100		60	
	VA UH_GT G		VA UH_Z		VA UH_Z G		VA UH_ZS		VA UH_ZS G
60		45/50/60/90/100/120		45/50/60/90/100/120		45/50/60/90/100/120/180		45/50/60/90/100/120/180	
	VA US_ZOM		VA US_ZOM G		VA US_ZOMS		VA US_ZOMS G		VA US_ZM
45/50/60/90		45/50/60/90		45/50/60/90		45/50/60/90		45/50/60/90	
	VA US_ZM G		VA US_ZMS		VA US_ZMS G		VA US_ZO		VA US_ZO G
45/50/60/90		45/50/60/90		45/50/60/90		90/100/120		90/100/120	
	VA US_ZOS		VA US_ZOS G		VA US_Z		VA US_Z G		VA US_ZS
90/100/120		90/100/120		90/100/120		90/100/120		90/100/120	
	VA US_ZS G		VA US_FL		VA US_FL G				
90/100/120		45/50/60		45/50/60					

vao

standalone units: H 64,4 cm | D 56,0 cm

 VA I	 VA I_T	 VA I_TG	 VA I_LLZ	 VA I_LLZ G
30/45/50/60/90/100/120	30/45/50/60/90/100/120	30/45/50/60/90/100/120	45/50/60/90/100/120	45/50/60/90/100/120
 VA I_LZS	 VA I_LZS G	 VA I_LLZ	 VA I_LLZ G	 VA I_LLZS
45/50/60/90/100/120/180	45/50/60/90/100/120/180	45/50/60/90/100/120	45/50/60/90/100/120	45/50/60/90/100/120/180
 VA I_LLZS G	 VA I_ZIZ	 VA I_ZIZ G	 VA I_ZIZS	 VA I_ZIZS G
45/50/60/90/100/120/180	45/50/60/90	45/50/60/90	45/50/60/90	45/50/60/90
 VA IH60GT	 VA IH60GT G	 VA IH_Z	 VA IH_Z G	 VA IH_ZS
60	60	45/50/60/90/100/120	45/50/60/90/100/120	45/50/60/90/100/120
 VA IH_ZS G	 VA IH_LZ	 VA IH_LZ G	 VA IH_LZS	 VA IH_LZS G
45/50/60/90/100/120	45/50/60/90/100/120	45/50/60/90/100/120	45/50/60/90/100/120/180	45/50/60/90/100/120/180
 VA IS_Z	 VA IS_Z G	 VA IS_ZS	 VA IS_ZS G	 VA IS_ZOM
45/50/60/90	45/50/60/90	45/50/60/90	45/50/60/90	45/50/60/90
 VA IS_ZOM G	 VA IS_ZOMS	 VA IS_ZOMS G	 VA IS_ZM	 VA IS_ZM G
45/50/60/90	45/50/60/90	45/50/60/90	45/50/60	45/50/60
 VA IS_ZMS	 VA IS_ZMS G	 VA IS_FL	 VA IS_FL G	
45/50/60	45/50/60	45/50/60	45/50/60	

description / legend

element width in cm



power-assisted